Truli for Health

HIPAA Transaction Standard Companion Guide

For Availity®[1] Health Information Network Users

Refers to the Technical Report Type Three (TR3) on X12 ASC Version 005010 X217

278 – Health Care Services Review — Request for Review and Response

Companion Guide Version Number: 1.0

101552 0520

Disclosure Statement

The Truli for Health HIPAA Transaction Standard Companion Guide for EDI Transactions Technical Reports, Type 3 (TR3) provides guidelines for submitting electronic batch transactions. Because the HIPAA ASC X12-TR3s require transmitters and receivers to make certain determinations /elections (e.g., whether, or to what extent, situational data elements apply) this Companion Guide documents those determinations, elections, assumptions or data issues that are permitted to be specific to Truli for Health business processes when implementing the HIPAA ASC X12 5010 TR3s.

This Companion Guide does not replace or cover all segments specified in the HIPAA ASC X12 TR3s. It does not attempt to amend any of the requirements of the TR3s or impose any additional obligations on trading partners of Truli for Health that are not permitted to be imposed by the HIPAA Standards for Electronic Transactions. This Companion Guide provides information on Truli for Health specific codes relevant to Truli for Health business processes, rules and situations that are within the parameters of HIPAA. Readers of this Companion Guide should be acquainted with the HIPAA ASC X12 TR3s, their structure and content.

This Companion Guide provides supplemental information that exists between Truli for Health and its trading partners. Trading partners should refer to their trading partner agreement for guidelines pertaining to Availity LLC, legal conditions surrounding the implementation of the EDI transactions and code sets. However, trading partners should refer to this Companion Guide for information on Truli for Health business rules or technical requirements regarding the implementation of HIPAA-compliant EDI transactions and code sets.

Nothing contained in this Companion Guide is intended to amend, revoke, contradict or otherwise alter the terms and conditions of your applicable trading partner agreement. If there is an inconsistency between the terms of this Companion Guide and the terms of your applicable trading partner agreement, the terms of the trading partner agreement will govern. If there is an inconsistency between the terms of this Companion Guide and any terms of the TR3, the relevant TR3 will govern with respect to HIPAA edits and this Companion Guide will govern with respect to business edits.

101552 0520

This page left blank

101552 0520

Version Change Log

Date	Description	Page
5-14-20	**Initial document creation**	**NA**

101552 0520

Contents

101552 0520

1   INTRODUCTION

The Health Insurance Portability and Accountability Act (HIPAA) require that the health care industry in the United States comply with the Electronic Data Interchange (EDI) standards as established by the secretary of Health and Human Services. The ASC X12 005010X217 is the established standard for Request for Review and Response (278). The Technical Reports Type 3 (TR3s) Guides for the 278 Request for Review and Response transaction specifies in detail the required formats. It contains requirements for the use of specific segments and specific data elements within segments and was written for all health care providers and other submitters. It is critical that your software vendor or IT staff review this document carefully and follow its requirements to send HIPAA-compliant files to Truli for Health via your vendor.

1.1 Scope

This 278 Companion Guide was created for Truli for Health trading partners to supplement the 278 TR3.It describes the data content, business rules, and characteristics of the 278 transaction.

1.2 Overview

The Technical Report Type 3 Guide (TR3) for the 278 Health Care Services Review transactions specifies in detail the required formats. It contains requirements for the use of specific segments and specific data elements within segments and was written for all health care providers and other submitters. It is critical that your software vendor or IT staff review this document carefully and follow its requirements to send HIPAA-compliant files to Truli for Health via your vendor.

1.3 References

- TR3 Guides for ASC X12 005010X217 Request for Review and Response (278) and all other HIPAA standard transactions are available electronically at wpc-edi.com
- For more information, including an online demonstration, please visit Availity.com or call 800-282-4548.
- CAQH CORE Operating Rules Phase II caqh.org/CORE_operat_rules.php.

2   GETTING STARTED

2.1 Working with Truli for Health

Availity optimizes information exchange between multiple health care stakeholders through a single, secure network. The Availity Health Information Network encompasses administrative, financial, and clinical services, supporting both real-time and batch EDI via the web and through business to business (B2B) integration. For more information, including an online demonstration, please visit availity.com or call 800-282-4548.

2.2 Trading Partner Registration

In order to register, you will need:

[1]Availity, LLC, is a multi-payer joint venture company. For more information or to register, visit availity.com.

Truli for Health is a trade name of BeHealthy Florida, Inc., an Independent Licensee of the Blue Cross and Blue Shield Association.

101552 0520

- Basic information about your practice, including your Federal Tax ID and National Provider Identifier.
- Someone with the legal authority (typically an owner or senior partner) to sign agreements for your organization.
- An office manager or other employee who can oversee the Availity implementation and maintain user id's and access.

2.3 Certification and Testing Overview

All trading partners and clearing houses should be certified via Availity. It is recommended that the trading partner obtain HIPAA Certification from an approved testing and certification third party vendor prior to testing.

3 TESTING WITH TRULI FOR HEALTH AND AVAILITY

Truli for Health recommends that trading partners contact Truli for Health to obtain a testing schedule and or notify Truli for Health of potential testing opportunities prior to implementing any foreseen transaction impacts to the business flow of both Truli for Health and/or the trading partner.

4 CONNECTIVITY/COMMUNICATIONS WITH TRULI FOR HEALTH AND AVAILITY

4.1 Transmission Administrative Procedures

4.2 Connectivity

Connectivity

Secure File Transfer via Internet

FTP via ISDN, Leased Lines, Frame Relay, VPN

Firewall Mechanics

If you are behind a firewall, make sure that your FTPS client passes the Internet facing IP address of the server rather than the internal IP. Failure to do so usually causes the communication break when the client tries to list the files available in the server or during upload or download of files.

4.3 Re-Transmission Procedure

Encryption Method

Secure Socket Layer (SSL)

4.4 Communication Protocol Specifications

101552 0520

Protocols Used

- HTTPS/FTPS
- HTTPS and your common Internet browsers (IE, Firefox, etc.) Port 443 (default)
- FTPS: Any FTP client capable of SSL encryption
- Client examples are:
    - Valicert ftp client
    - Cute-FTP
    - WS-FTP Pro
    - FileZilla
    - Others
- FTPS Parameters:
    - Port 21
    - Authentication:FTP over SSL (explicit) or FTP over TLS (explicit)
    - Active Mode
    - File retention is 72 hours
- SSH Parameters
    - Use SFTP or SCP
    - Port 22
    - Authentication:user id and password

4.5 Passwords

If a password change is necessary, please contact Availity at 800-282-4548 or availity.com.

5 CONTACT INFORMATION

5.1 EDI Customer Service

For EDI customer service related to Truli for Health, please visit availity.com or call 800-282-4548.

5.2 EDI Technical Assistance

For support of EDI transactions through Availity, please visit availity.com or call 800-282-4548.

5.3 Provider Service Number

For provider services, please contact Truli for Health at 823-238-8144. For faster service, please have your Availity transaction ID available.

5.4 Applicable websites/email

- availity.com
- Truli for Health.com

[1]Availity, LLC, is a multi-payer joint venture company. For more information or to register, visit availity.com.

Truli for Health is a trade name of BeHealthy Florida, Inc., an Independent Licensee of the Blue Cross and Blue Shield Association.

101552 0520

6 CONTROL SEGMENTS/ENVELOPES

ANSI 278 – Health Care Services Review – Request for Review and Response:

The purpose of this section is to delineate specific data requirements where multiple valid values are presented within the ANSI 278 5010 A1 TR3.

Common Definitions:

- **Interchange control header (ISA06) Interchange Sender ID (Mailbox ID)** – is individually assigned to each trading partner.
- **Interchange control header (ISA08) Interchange Receiver ID** - If submitting directly to Truli for Health use, 592015694 (+6 spaces). If submitting through Availity, use 030240928 (+6 spaces). Reference the Availity EDI guide at Availity.com.
- **Interchange control header (ISA15) Usage Indicator** – defines whether the transaction is a test (T) or production (P).
- **Functional Group Header (GS02) Application Sender's code** – is individually assigned to each trading partner.

Global Information

Req #	Loop ID – Segment Description and Element Name	Reference Description	TR3Page (s)	Plan Requirement
G1	All Transactions			Truli for Health requires a trading partner agreement to be on file with Availity indicating all electronic transactions the trading partner intends to send or receive.
G2	All Segments			Only loops, segments, and data elements valid for the 278 HIPAA-AS TR3 Guides ASC X12 005010X217 will be used for processing.

101552 0520

Req #	Loop ID – Segment Description and Element Name	Reference Description	TR3Page (s)	Plan Requirement
G3	Acknowledgments – Truli for Health acknowledgements are created to communicate the status of transactions. It is imperative that they be retrieved on a daily basis. One file could result in multiple acknowledgements. **ANSI X12:** **-TA1 – Interchange Acknowledgement** **-999 – Functional Acknowledgement**			TA1 is available immediately after depositing file 999 is available immediately after depositing file
G4	**Negative Values**			Submission of any negative values in the 278 transaction will not be processed or forwarded.
G5	**Date fields**			All dates submitted on an incoming Inquiry must be a valid calendar date in the appropriate format based on the respective ANSI 278 5010 A1 TR3 qualifier.Failure to do so may cause processing delays or rejection.
G9	**All Transactions**			Health Care Services Review – Request for Review (278) submitted with multiple patient events will be split into separate transactions and returned one at a time.
G10	**All Transactions**			Truli for Health requires that you do not submit any special characters in any text fields.
G11	**All Transactions 2000C 2000D 2000F Additional Patient Information Paperwork**	PWK		Although 278 allows for the submission of additional data in this segment, Truli for Health will not utilize the information in processing at this time.

101552 0520

Req #	Loop ID – Segment Description and Element Name	Reference Description	TR3Page (s)	Plan Requirement
G12	**All Transactions**	HI		Do not transmit the decimal point for ICD codes. The decimal point is implied.

Enveloping Information – Request for Review

Req #	Loop ID - Segment Description & Element Name	Reference Description	TR3Page(s)	Plan Requirement
E1	**Interchange Control Header**	ISA	*Appendix B (B.4)*	All transactions utilize delimiters from the following list: >,*,~,^,|,{ and : . Submitting delimiters not supported within this list may cause an interchange (transmission) to be rejected
E2	**Interchange Control Structure**	ISA	*Appendix B (B.2)*	Must submit Request for Review data using the basic character set as defined in Appendix B of the ASC X12 005010X217 TR3. In addition to the basic character set, you may choose to submit lower case characters and the special character (@) from the extended character set. Any other characters submitted from the extended character set may cause the interchange (transmission) to be rejected by the Plan.
E3	**Interchange Control Header Authorization Information Qualifier**	ISA01	*Appendix C (C.4)*	Truli for Health requires 00 in this field.
E4	**Interchange Control Header Authorization Information**	ISA02	*Appendix C (C.4)*	Truli for Health requires ten spaces in this field.
E5	**Interchange Control Header Security Information Qualifier**	ISA03	*Appendix C (C.4)*	Truli for Health requires 00 in this field.

101552 0520

Req #	Loop ID - Segment Description & Element Name	Reference Description	TR3Page(s)	Plan Requirement
E6	**Interchange Control Header Security Information**	ISA04	*Appendix C (C.4)*	Truli for Health requires 10 spaces in this field.
E7	**Interchange Control Header Interchange ID Qualifier**	ISA05	*Appendix C (C.4)*	Truli for Health requires 01 in this field.
E8	**Interchange Control Header Interchange Sender ID**	ISA06	*Appendix C (C.4)*	Truli for Health requires submission of your individually assigned Truli for Health sender mailbox number in this field.
E9	**Interchange Control Header Interchange ID Qualifier**	ISA07	*Appendix C (C.5)*	Truli for Health requires ZZ in this field.
E10	**Interchange Control Header Interchange Receiver ID**	ISA08	*Appendix C (C.5)*	Truli for Health will only accept the submission of Truli for Health tax ID number 592015694 in this field.
E11	**Interchange Control Header Repetition Separator**	ISA11	*Appendix C (C.5)*	All transactions utilize { as repetition separator. Submitting delimiters other than this may cause an interchange (transmission) to be rejected.
E12	**Interchange Control Header Acknowledgement Requested**	ISA14	*Appendix C (C.6)*	The TA1 will not be provided without a code value of one in this field.
E13	**Interchange Control Header Interchange Usage Indicator**	ISA15	*Appendix C (C.6)*	Truli for Health requires P in this field to indicate the data enclosed in this transaction is a production file.
E14	**Interchange Control Header Component Element Separator**	ISA16	*Appendix C (C.6)*	: Delimiter --- Truli for Health requires the use of the above delimiter to separate component data elements within a composite data structure.

101552 0520

Req #	Loop ID - Segment Description & Element Name	Reference Description	TR3Page(s)	Plan Requirement
E15	**Interchange Control Header Functional Group Header/Functional Group Trailer**	GS - GE ISA - IEA	*Appendix C (C.7)*	Truli for Health will only process one transaction type per GS-GE (functional group). However, we will process multiple ST's within one (1) GS segment as long as they are all the same transaction type.
E16	**Functional Group Header Functional Identifier Code**	GS01	*Appendix C (C.7)*	HI – Request for Review FB requires submission of the above value in this field.
E17	**Functional Group Header Application Sender's Code**	GS02	*Appendix C (C.7)*	Truli for Health requires the submission of the Truli for Health assigned Sender Code in this field.
E18	**Functional Group Header Application Receiver's Code**	GS03	*Appendix C (C.7)*	592015694 Truli for Health requires the submission of the above value in this field for 278 Request for Review, all others may cause rejection.
E19	**Implementation Convention Reference**	ST03	*66*	Must contain 005010X217

Enveloping Information – Response for Review

Req #	Loop ID- Segment Description & Element Name	Reference Description	TR# Page(s)	Plan Requirement
E1	**Interchange Control Header**	ISA	Appendix B.5	All transactions utilize delimiters from the following list: >, * , ~ , ^ ,	, { and : .

101552 0520

Req #	Loop ID- Segment Description & Element Name	Reference Description	TR# Page(s)	Plan Requirement
E2	**Interchange Control Structure**	ISA	Appendix B (B.3)	Truli for Health sends review response data using the basic character set as defined in Appendix B of the ASC X12 005010X217 TR3. In addition to the basic character set, lower case characters and the special character (@) from the extended character set may be used.
E3	**Interchange Control Header Authorization Information Qualifier**	ISA01	Appendix C (C.4)	Truli for Health sends 00 in this field.
E4	**Interchange Control Header Authorization Information**	ISA02	Appendix C (C.4)	Truli for Health sends ten spaces in this field.
E5	**Interchange Control Header Security Information Qualifier**	ISA03	Appendix C (C.4)	Truli for Health sends 00 in this field.
E6	**Interchange Control Header Security Information**	ISA04	Appendix C (C.4)	Truli for Health sends ten spaces in this field.
E7	**Interchange Control Header Interchange ID Qualifier**	ISA05	Appendix C (C.4)	Truli for Health sends ZZ in this field.
E8	**Interchange Control Header Interchange Sender ID**	ISA06	Appendix C (C.4)	Truli for Health sends 592015694 in this field.
E9	**Interchange Control Header Interchange ID Qualifier**	ISA07	Appendix C (C.5)	Truli for Health sends 01 in this field.
E10	**Interchange Control Header Interchange Receiver ID**	ISA08	Appendix C (C.5)	Truli for Health sends individually assigned Truli for Health sender mailbox number in this field.
E11	**Interchange Control Header Repetition Separator**	ISA11	Appendix C (C.5)	Truli for Health uses {as repetition separator.

101552 0520

Req #	Loop ID- Segment Description & Element Name	Reference Description	TR# Page(s)	Plan Requirement
E12	**Interchange Control Header Acknowledgement Requested**	ISA14	Appendix C (C.6)	Truli for Health sends 0 in this field.
E13	**Interchange Control Header Interchange Usage Indicator**	ISA15	Appendix C (C.6)	Truli for Health sends P in this field to indicate the data enclosed in this transaction is a production file.
E14	**Interchange Control Header Component Element Separator**	ISA16	Appendix C (C.6)	Truli for Health uses: as the delimiter to separate component data elements within a composite data structure.
E15	**Interchange Control Header Functional Group Header/Functional Group Trailer**	GS - GE ISA-IEA	Appendix C (C.7)	Truli for Health will only process one transaction type per GS-GE (functional group). However, we will process multiple ST's within one (1) GS segment as long as they are all the same transaction type.
E16	**Functional Group Header Functional Identifier Code**	GS01	Appendix C (C.7)	HI - Response for Review Truli for Health sends the above value in this field.
E17	**Functional Group Header Application Sender's Code**	GS02	Appendix C (C.7)	Truli for Health sends 592015694 in this field.
E18	**Functional Group Header Application Receiver's Code**	GS03	Appendix C (C.7)	Truli for Health sends Truli for Health assigned Sender Code in this field.
E19	**Implementation Convention Reference**	ST03	66	Truli for Health sends 005010X217 in this field.
E20	**999 Functional Acknowledgement**	AK103		Truli for Health will return the value submitted in GS08 from the functional group to which this 999 transaction set is responding

7 PAYER SPECIFIC BUSINESS RULES AND LIMITATIONS

101552 0520

Business Requirements

Req #	Loop ID – Segment Description & Element Name	Reference Description	TR3Page(s)	Plan Requirement
B1	**BHT - Beginning of Hierarchical Transaction Transaction Set Purpose Code**	BHT02	67	Truli for Health will only support 13 (Request) --- Truli for Health will not support 01 (Cancellation) 36 (Authority to Deduct – Reply) These values will be eliminated on the web portal and rejected (as not supported by B2B.)
B2	**2010A - Utilization Management Organization (UMO) Name Entity Identification Code**	NM101	71	X3 (Utilization Management Organization) --- Truli for Health requests submission of above value in this field.
B3	**2010A - Utilization Management Organization (UMO) Name Organization Name**	NM103	72	Truli for Health --- Truli for Health requests submission of above value in this field.
B4	**2010A - Utilization Management Organization (UMO) Name Identification Code Qualifier**	NM108	73	PI (Payer Identification)
B5	**2010A - Utilization Management Organization (UMO) Name Identification Code**	NM109	73	Truli for Health requests submission of TRULI in NM109.
B6	**2010B - Requester Name Identification Code Qualifier**	NM108	77	XX (National Provider Identifier)
B7	**2010B - Requester Name Requester Identifier**	NM109	78	Truli for Health requires the NPI Number in NM109

101552 0520

Req #	Loop ID – Segment Description & Element Name	Reference Description	TR3Page(s)	Plan Requirement
B8	2010B - Requester Supplemental Identification Reference Identification Qualifier	REF01	79	Truli for Health requires the ZH qualifier in REF01
B9	2010B - Requester Supplemental Identification Requester Supplemental Identifier	REF02	80	Truli for Health requires the Availity Sender Code in REF02
B10	2010B - Requester Name Zip Code	N403	83	Nine-digit zip code - (Zip + 4) Five-digit zip code - The five digit zip code is required. +four-digit zip - The last four digits of the zip code are optional, however the use of 0000 is not allowed.
B11	2010B - Requester Provider Information Provider Code	PRV01	87	Truli for Health requires RF in PRV01
B12	2010B - Requester Provider Information Reference Identification Qualifier	PRV02	88	Truli for Health requires PXC in PRV02
B13	2010B - Requester Provider Information Provider Taxonomy Code	PRV03	88	Truli for Health requires a valid provider taxonomy code in PRV03. Standard taxonomy codes are published on the National Uniform Claim Committee website at nucc.org.
B14	2010C - Subscriber Name Identification Code Qualifier	NM108	93	MI (Member Identification Number)
B15	2010C – Subscriber Name Subscriber Member Number	NM109	93	Truli for Health requires the submission of id number exactly as it appears on the id card without embedded spaces including any applicable prefix or suffix

Req #	Loop ID – Segment Description & Element Name	Reference Description	TR3Page(s)	Plan Requirement
B16	2010C - Subscriber Demographic Information Gender Code	DMG03	100	F – Female M – Male Truli for Health requires that only the gender codes listed above be submitted.
B17	2000E - Patient Event Level Request Category Code	UM01	120	Truli for Health will support the following codes: AR (Admission Review) HS (Health Services Review) SC (Specialty Care Review) --- Truli for Health will not support IN (individual).
B18	2000E - Patient Event Level Certification Type Code	UM02	121	Truli for Health will only support the following codes: I – Initial 3 – Cancel 4 – Extension S – Revised --- Truli for Health will not support one (1),two (2), N, R
B19	2000E – Patient Event Level Patient Diagnosis	HI	137-153	Truli for Health requires the submission of the diagnosis code.
B20	2010EA - Patient Event Provider Name Entity Identifier Code	NM101	210	If the Entity is a Non-Person, Truli for Health requires an SJ in the NM101.
B21	2010EA - Patient Event Provider Name - Entity Type Qualifier	NM102	210	If the value of SJ is submitted in NM101. Truli for Health requires a value of 2 in NM102.

101552 0520

Req #	Loop ID – Segment Description & Element Name	Reference Description	TR3Page(s)	Plan Requirement
B22	2010EA - Patient Event Provider Name - Zip Code	N403	217	Nine-digit zip code - (Zip + four) Five-digit zip code - The five digit zip code is required. +four-digit zip - The last four digits of the zip code are optional, however the use of 0000 is not allowed.
B23	2010EA - Patient Event Provider Name Provider Code	PRV01	221	Truli for Health requires the PRV segment
B24	2010EA - Patient Event Provider Name Reference Identification Qualifier	PRV02	222	Truli for Health requires PXC in PRV02
B25	2010EA - Patient Event Provider Name Provider Taxonomy Code	PRV03	222	Truli for Health requires a valid provider taxonomy code in PRV03. Standard taxonomy codes are published on the National Uniform Claim Committee website at nucc.org.
B26	2000F - Health Care Services Review - Service Type Code	UM03	239	The following Service Types require procedure codes: two (2), four (4), six (6), eight (8), 12, 18, 20, 21, 40, 62, 63, 70, 73, 75, 88, AR, BS
B27	2000F - Professional Service Product or Service ID Qualifier	SV101-1	247	Truli for Health supports HC or N4 in this field. Truli for Health requires associated procedure code.
B28	2000F - Institutional Service Line Product or Service ID Qualifier	SV102-1	253	Truli for Health supports HC or N4 in this field. Truli for Health requires associated procedure code.
B29	2000F - Health Care Services Delivery Quantity Qualifier	HSD01	267	Truli for Health will accept only the following code values: DY – Days VS—Visits Submission of any other value will result in a pended status.
B30	2010F - Service Provider Entity Identifier Code	NM101	278	If the Entity is a Non-Person, Truli for Health requires an SJ in the NM101.

101552 0520

Req #	Loop ID – Segment Description & Element Name	Reference Description	TR3Page(s)	Plan Requirement
B31	2010F - Service Provider Entity Type Qualifier	NM102	278	If the value of SJ is submitted in NM101, Truli for Health requires a value of two in NM102.
B32	2010F - Service Provider Zip Code	N403	285	Nine-digit zip code - (Zip + four) Five-digit zip code - The five digit zip code is required. +four-digit zip - The last four digits of the zip code are optional, however the use of 0000 is not allowed.
B33	2010F - Service Provider Provider Code	PRV01	289	Truli for Health requires the PRV segment.
B34	2010F - Service Provider Reference Identification Qualifier	PRV02	290	Truli for Health requires PXC in PRV02.
B35	2010F - Service Provider Provider Taxonomy Code	PRV03	290	Truli for Health requires a valid provider taxonomy code in PRV03. Standard taxonomy codes are published on the National Uniform Claim Committee website at nucc.org.

8   ACKNOWLEDGEMENTS AND/OR REPORTS

The purpose of this section is to outline the Truli for Health processes for handling the initial processing of incoming files and electronic acknowledgment generation.

TA1 Interchange Acknowledgement Transaction

All X12 file submissions are pre-screened upon receipt to determine if the interchange control header (ISA) or interchange control trailer (IEA) segments are readable. If errors are found, a TA1 response transaction will be sent to notify the trading partner that the file could not be processed provided the file contains a code value of one (1) in the ISA14. No TA1 response transaction will be sent for error-free files.

Once Truli for Health determines that the file is readable, validation is performed on the ISA and IEA loop information. If these segments have a non-standard structure, the file will receive a full file reject and the TA1 response transaction will be sent to the trading partner, provided the file contains a code value of one (1) in the ISA14.

101552 0520

999 Functional Acknowledgement Transactions

If the file submission passes the ISA/IEA pre-screening above, it is then checked for ASC X12 syntax and HIPAA compliance errors. When the compliance check is complete, a 999 will be sent to the trading partner informing them if the file has been accepted or rejected. If multiple transaction sets (ST-SE) are sent within a functional group (GS-GE), the entire functional group (GS-GE) will be rejected when an ASC X12 or HIPAA compliance error is found.

9 TRADING PARTNER AGREEMENTS

Please contact Availity for your Trading partner Agreement at 800-282-4548 or availity.com.

10 TRANSACTION SPECIFIC INFORMATION

10.1 ASC X12 Transactions Supported

This section describes how ASC X12N Implementation Guides (IGs) adopted under HIPAA will be detailed with the use of a table. The tables contain a row for each segment that Truli for Health has something additional, over and above, the information in the IGs. That information can:

• Limit the repeat of loops, or segments
• Limit the length of a simple data element
• Specify a sub-set of the IGs internal code listings
• Clarify the use of loops, segments, composite and simple data elements
• Any other information tied directly to a loop, segment, and composite or simple data element pertinent to trading electronically with Truli for Health.

In addition to the row for each segment, one or more additional rows are used to describe Truli for Health's usage for composite and simple data elements and for any other information. Notes and comments should be placed at the deepest level of detail.

For example, a note about a code value should be placed on a row specifically for that code value, not in a general note about the segment. Truli for Health processes the following

ASCX12 HIPAA transactions for Request for Review and Response.

ASC X12 278 X12 005010X217	Request for Review and Response
ASC X12 TA1 v005010X231A1 (HIPAA)	Response to the X12 transactions where errors are encountered in the outer envelopes (ISA/IEA and GS/GE segments)
ASC X12 999 V005010X231A1 (HIPAA)	Functional Acknowledgement

[1]Availity, LLC, is a multi-payer joint venture company. For more information or to register, visit availity.com.

Truli for Health is a trade name of BeHealthy Florida, Inc., an Independent Licensee of the Blue Cross and Blue Shield Association.

101552 0520